Attorney Docket: 39285-118

Reply to Office Action of April 12, 2013

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the

application:

Listing of Claims:

1. (WITHDRAWN) A method of managing a site in a mobile environment,

comprising:

detecting an availability of a thermostat wherein the thermostat has an operating

condition;

detecting a location of a mobile device associated with the site;

providing a proximity control selector within a user interface of the mobile device to

manage a proximity detection module disposed on the thermostat, wherein the proximity control

selector has an enabled setting of the proximity detection module and a disabled setting of the

proximity detection module;

enabling the proximity detection module in response to the enabled setting of the

proximity control selector to allow for the modification of the operating condition of the

thermostat based on the detected location of the mobile device relative to the site; and

disabling the proximity detection module in response to the disabled setting of the

proximity control selector.

2. (WITHDRAWN) The method of claim 1, further comprising:

DOCKET A L A R M

Attorney Docket: 39285-118

module is a home mode.

Reply to Office Action of April 12, 2013

altering an operating condition of the thermostat in response to the enabled proximity detection module and the detected location.

3. (WITHDRAWN) The method of claim 1, wherein the enabled proximity control selector is an away setting and the enabled proximity detection module is an away mode and the disabled proximity control selector is a home setting and the disabled proximity detection

4. (WITHDRAWN) The method of claim 2, further comprising:

detecting an availability of a second thermostat; and

altering an operating condition of the second thermostat in response to the detected location and the enabled proximity detection module.

5. (WITHDRAWN) The method of claim 1, further comprising:

providing a network location configured to store location information of a plurality of mobile devices including a first mobile device and a second mobile device;

detecting a first location information of the first mobile device relative to the site;

detecting a second location information of the second mobile device relative to the site;

communicating the first location information of the first mobile device and the second distance information of the second mobile device to the network location to be compared; and

Attorney Docket: 39285-118

Reply to Office Action of April 12, 2013

initiating a change to the operating condition of the thermostat if a change in the first location of the first mobile device is different than a change in the second location of the second mobile device.

6. (WITHDRAWN) The method of claim 3, further comprising:

detecting a setting change of the proximity control selector of the first mobile device; and

communicating the setting change to the network location.

7. (WITHDRAWN) The method of claim 1, further comprising:

initiating a reporting interval from the mobile device to a network location in response to

the distance; and

initiating communication of a control of the operating mode using the reporting interval

and the distance.

8. (WITHDRAWN) The method of claim 1, further comprising:

receiving site information of the site at the mobile device;

presenting the site information within the user interface of the mobile device; and

presenting a current settings section within the user interface; and

enabling selection of the current settings section to control the operating condition of the

thermostat.

9. (WITHDRAWN) The method of claim 1, further comprising;



Attorney Docket: 39285-118

Reply to Office Action of April 12, 2013

detecting the availability of a first network location and a second network location,

wherein the second network location is different than the first network location;

initiating access of the first network location to detect the operating condition of the

thermostat;

initiating access to a second network location to store the distance of the mobile device

relative to the site; and

initiating a communication of a control action to the first network location to alter the

operating condition of the thermostat.

10. (WITHDRAWN) The method of claim 9, further comprising:

initiating access to the second network location to detect a distance of the first mobile

device relative to a distance of a second mobile device associated with the site;

initiating access to the first network location to alter the operating condition of the

thermostat if the first mobile device is closer to the site than the second mobile device;

storing an updated operating condition within the first mobile device;

initiating an update of the operating condition at the first network location.

11. (WITHDRAWN) The method of claim 1, further comprising:

detecting an availability of a WIFI network including a device connected to the WIFI

network;

accessing the device using the WIFI network to detect an operating condition of the

device; and



Attorney Docket: 39285-118

Reply to Office Action of April 12, 2013

initiating an altering of the operating condition of the network device using the WIFI network.

12. (CURRENTLY AMENDED) A system, comprising:

a thermostat disposed at a site and including a communication module capable of

communicating with a mobile device associated with the site;

said thermostat having including a proximity detection module disposed thereon, said

proximity detection module having a home mode and an away mode;

said thermostat configured to enable the away mode;

said proximity detection module being configured to:

detect a location of the mobile device presence of a user [[with respect to]] at the

site; and

alter an operating condition of the thermostat during the away mode in response

to the detected location of the mobile device presence of the user.

13. (ORIGINAL) The system of claim 12, wherein the thermostat includes a

generally round housing.

14. (ORIGINAL) The system of claim 13, wherein the housing includes a control

mechanism configured to rotate clockwise and counterclockwise to allow for the selection of the

home mode and the away mode.



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

