

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: U.S. Patent No. 10,492,179

USPTO CONFIRMATION CODE: 9056

APPLICATION NO.: 16/294,356

FILED: March 6, 2019

EXAMINER: Omar J Ghowrwal

GROUP ART UNIT: 2463

FOR: RESOURCE SIGNALING FOR PUCCH

37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION
FOR USPTO AND/OR APPLICANT MISTAKE

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

SIR:

The following is a request for a certificate of correction in Serial Number 16/294,356, now Patent Number 10,492,179.

A certificate of correction under 35 USC 254 is respectfully requested in the above-identified patent.

The errors were the fault of both the applicant and USPTO and, accordingly, please charge **\$160.00** to our Deposit Account No. 50-1379. In the event that a further fee is required, please charge the amount to the same Deposit Account.

The exact locations where the errors appear in the patent and patent application are as follows:

On the Face Page, in Field (73), under “Assignee”, in Column 1, Line 2, delete “(Publ) (SE)” and insert - - (Publ), Stockholm (SE) - -, therefor.
(ISSUE FEE PAYMENT (PTO-85B) DATED OCTOBER 23, 2019, PAGE 2 OF 3 (PAGE 2 OF FW), UNDER ASSIGNEE’S NAME & RESIDENCE, LINE 1)

In Column 8, Line 22, delete “Circuitry)” and insert - - Circuits) - -, therefor.
(ORIGINALLY FILED SPECIFICATION DATED MARCH 6, 2019, PAGE 13, LINE 2)

In Column 10, Line 4, delete “DCI’s” and insert - - DCIs - -, therefor.
(ORIGINALLY FILED SPECIFICATION DATED MARCH 6, 2019, PAGE 16, LINE 13)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

, 2020

DATE

/Ronald J. Ward, Reg#54870/

Ronald J. Ward
Registration No. 54,870
Attorney of Record