

REQUEST FOR CERTIFICATE OF CORRECTION

First Inventor : Jeroen Poeze
App. No. : 16/725478
Filed : December 23, 2019
Patent No. : 10,631,765
Issue Date : April 28, 2020
Title : MULTI-STREAM DATA COLLECTION SYSTEM FOR
NONINVASIVE MEASUREMENT OF BLOOD CONSTITUENTS
Conf. No. : 9249

Commissioner for Patents
Office of Data Management
Attention: Certificates of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

Some of the errors cited in the Certificate of Correction appear to have been incurred through the fault of the PTO (see 35 USC § 254, 37 CFR § 1.322, and MPEP § 1480). However, because this may not apply to each item in the Certificate of Correction, the \$150 fee under 37 CFR § 1.20(a) is submitted herewith. Please charge any additional fees to our Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: May 1, 2020

By: /Scott Cromar/_____
Scott A. Cromar
Registration No. 65,066
Registered Practitioner
(949) 760-0404

32749316

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 10,631,765
APPLICATION NO. : 16/725478
ISSUE DATE : April 28, 2020
INVENTOR(S) : Jeroen Poeze

Page 1 of 1

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (63), Page 2, Column 1 at Line 12, Related U.S. Application Data, Change “and a continuation-in-part” to --said application No. 12/829,352 is a continuation-in-part--.

In the Specification

In Column 38 at Line 22, Change “15008” to --1500B--.

In Column 41 at Line 33, Change “40 MO” to --40 MΩ--.

In Column 41 at Line 35, Change “40 MO” to --40 MΩ--.

In the Claims

In Column 46 at Line 16, In Claim 16, change “the least” to --the at least--.

32749153

MAILING ADDRESS OF SENDER:

Scott A. Cromar
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
San Jose, CA 95131

DOCKET NO. MASCER.002C16

