

(/)



# Gattex<sup>®</sup>

## Teduglutide [rDNA origin] for Injection

### **MENU**

**Important Safety Information:** GATTEX may cause serious side effects including making abnormal cells grow faster, polyps in the colon (large intestine), blockage of the bowels (intestines), swelling (inflammation) or blockage of your gallbladder or pancreas, and fluid overload. Click [here](#) for additional Important Safety Information.

[HOME \(/home.aspx\)](#) » [ABOUT GATTEX \(/about-gattex.aspx\)](#)

Select a page...



About GATTEX<sup>®</sup>

CFAD Exhibit 1060



*Hypothetical patient portrayal*

Stay informed with eUpdates

Receive the latest news about  
GATTEX®

REGISTER NOW  
» ([/EUPDATES.ASPX](#))

GATTEX is a prescription medicine used in adults with Short Bowel Syndrome (SBS) who need additional nutrition or fluids from intravenous (IV) feeding (parenteral support).

GATTEX may:

- Help the remaining intestine (bowel) absorb more
- Reduce the need for parenteral support

It's important to remember that individual results may vary and you should talk with your doctor ([/About-Gattex/Talking-With-Your-Doctor.aspx](#)) about whether GATTEX is right for you.

Learn more about getting started on GATTEX ([/Getting-Started.aspx](#)).

## **Important Safety Information**

**What is the most important information I should know about GATTEX?**

***GATTEX may cause serious side effects, including:***

***Making abnormal cells grow faster***

GATTEX can make abnormal cells that are already in your body grow faster. There is an increased risk that abnormal cells could become cancer. If you get cancer of the

bowel (intestines), liver, gallbladder or pancreas while using GATTEX, your healthcare provider should stop GATTEX. If you get other types of cancers, you and your healthcare provider should discuss the risks and benefits of using GATTEX.

***Polyps in the colon (large intestine)***

Polyps are growths on the inside of the colon. Polyps were found in patients taking GATTEX in clinical studies. Your healthcare provider will have your colon checked for polyps within 6 months before starting GATTEX and have any polyps removed.

To keep using GATTEX, your healthcare provider should have your colon checked for new polyps at the end of 1 year of using GATTEX. If no polyp is found, your healthcare provider should check you for polyps as needed and at least every 5 years and have any new polyps removed. If cancer is found in a polyp, your healthcare provider should stop GATTEX.

***Blockage of the bowel (intestines)***

A bowel blockage keeps food, fluids, and gas from moving through the bowels in the normal way. Bowel blockage was reported in patients taking GATTEX in clinical studies. Tell your healthcare provider if you have any of these symptoms of a bowel blockage:

- trouble having a bowel movement or passing gas
- stomach area (abdomen) pain or swelling
- nausea
- vomiting
- swelling and blockage of your stoma opening, if you have a stoma

If blockage is found, your healthcare provider may temporarily stop GATTEX.

***Swelling (inflammation) or blockage of your gallbladder or pancreas***

Swelling or blockage of the gallbladder or pancreas were reported in patients taking GATTEX in clinical studies. Your healthcare provider will do tests to check your gallbladder and pancreas within 6 months before starting GATTEX and at least every 6 months while you are using GATTEX. Tell your healthcare provider right away if you get stomach area (abdomen) pain and tenderness, chills, fever, change in your stools, nausea, vomiting, dark urine, or yellowing of your skin or the whites of eyes.

***Fluid overload***

Fluid overload and heart failure were reported in patients taking GATTEX in clinical studies. Too much fluid in your body may lead to heart failure, especially if you have heart problems. Your healthcare provider will check you for too much fluid in your body. Tell your healthcare provider if you get swelling in your feet and ankles, you gain weight very quickly (water weight), or you have trouble breathing.

***The most common side effects of GATTEX include:***

- stomach area (abdomen) pain or swelling
- skin reaction where the injection was given
- nausea
- headache
- cold or flulike symptoms

- vomiting

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

### ***What should I tell my healthcare provider before using GATTEX?***

#### **Tell your healthcare provider if you:**

- Have cancer or a history of cancer
- Have or had polyps anywhere in your bowel (intestines) or rectum
- Have heart problems
- Have high blood pressure
- Have problems with your gallbladder, pancreas, kidneys
- Have any other medical condition
- Are pregnant or planning to become pregnant. It is not known if GATTEX will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while using GATTEX.
- Are breastfeeding or plan to breastfeed. It is not known if GATTEX passes into your breast milk. You and your healthcare provider should decide if you will use GATTEX or breastfeed. You should not do both.

**Tell your healthcare providers about all the medicines you take**, including prescription or over-the-counter medicines, vitamins, and herbal supplements. Using GATTEX with certain other medicines may affect each other causing side effects. Your other healthcare providers may need to change the dose of any oral medicines you take while using GATTEX. Tell the healthcare provider who gives you GATTEX if you will be taking a new oral medicine.

**For additional safety information, click here for [Prescribing Information](http://www.shirecontent.com/PI/PDFS/Gattex_USA_ENG.pdf) ([http://www.shirecontent.com/PI/PDFS/Gattex\\_USA\\_ENG.pdf](http://www.shirecontent.com/PI/PDFS/Gattex_USA_ENG.pdf)) and [Medication Guide](http://www.shirecontent.com/MEDGUIDE/PDFS/MG_Gattex_USA_ENG.pdf) ([http://www.shirecontent.com/MEDGUIDE/PDFS/MG\\_Gattex\\_USA\\_ENG.pdf](http://www.shirecontent.com/MEDGUIDE/PDFS/MG_Gattex_USA_ENG.pdf)) and discuss with your doctor.**

Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) (<http://www.fda.gov/Safety/MedWatch/default.htm>) or call 1-800-FDA-1088. You can also call Shire at 1-855-5GATTEX (1-855-542-8839).

### ***What is GATTEX?***

**GATTEX is a prescription medicine used in adults with Short Bowel Syndrome (SBS) who need additional nutrition or fluids from intravenous (IV) feeding (parenteral support).**

<http://www.shire.com>



**Privacy Policy (<https://www.shire.com/legal-notice/privacy-policy>) Terms of Use (</terms-of-use.aspx>) Contact Us (</contact-us.aspx>)**

GATTEX® is a registered trademark of NPS Pharmaceuticals, Inc., a wholly-owned, indirect subsidiary of Shire North American Group, Inc. ©2016 Shire. All rights reserved.

All content on this Web site, including text, images, graphics, sound files, and their arrangement, belongs to Shire and is protected by international copyright laws. All other intellectual property rights are reserved. The content may not be copied for commercial use or distribution, nor may these objects be downloaded, modified, or posted to other sites. This site is intended solely for US residents and is governed solely by US laws and government regulations. Please see our [privacy policy \(\[/www.shire.com/legal-notice/privacy-policy\]\(https://www.shire.com/legal-notice/privacy-policy\)\)](https://www.shire.com/legal-notice/privacy-policy) for more information. While Shire US Inc. makes reasonable efforts to include accurate, up-to-date information on the site, Shire US Inc. makes no warranties or representations as to its accuracy. Shire US Inc. assumes no liability for any errors or omissions in the content of the site.

S10472 01/16