

TECHNICAL REPORT

DSL Forum TR-033

ITU-T G.992.2 (G.lite) ICS

March 2000

Notice:

The DSL Forum is a non-profit corporation organized to create guidelines for DSL network system development and deployment. This Technical Report is a draft, and has not been approved by members of the Forum. Even if approved, this document is not binding on the DSL Forum, any of its members, or any developer or service provider involved in DSL. The document is subject to change, but only with approval of members of the Forum.

©2000 Digital Subscriber Line Forum. All Rights Reserved.

DSL Forum technical reports may be copied, downloaded, stored on a server or otherwise re-distributed in their entirety only.

Notwithstanding anything to the contrary, the DSL Forum makes no representation or warranty, expressed or implied, concerning this publication, its contents or the completeness, accuracy, or applicability of any information contained in this publication. No liability of any kind shall be assumed by the DSL Forum as a result of reliance upon any information contained in this publication. the DSL Forum does not assume any responsibility to update or correct any information in this publication.

The receipt or any use of this document or its contents does not in any way create by implication or otherwise any express or implied license or right to or under any patent, copyright, trademark or trade secret rights which are or may be associated with the ideas, techniques, concepts or expressions contained herein.

Table of Contents

1. REVISION HISTORY	4
2. INTRODUCTION.....	4
3. SCOPE.....	4
4. A GUIDE TO THE USE OF THE ADSL ICS PROFORMA	5
4.1 Abbreviations and conventions.....	5
4.2 Instructions for completing the ICS Proforma.....	6
4.3 Examples	6
5. REFERENCES.....	7
6. LIST OF TABLES	8
ANNEX A: PHYSICAL LAYER ADSL ICS.....	10
A.1 Identification of the implementation	10
A.2 Date of the statement	10
A.3 Implementation Under Test (IUT) identification	10
A.4 System Under Test (SUT) identification.....	10
A.5 Product supplier Name	10
A.6 Client (if different from product supplier) Name.....	11
A.7 Identification of the reference standard.....	11
A.8 Global statement of conformance	12
A.9 Initialization sequence	12
A.9.1 Activation and acknowledgment	12
A.9.2 Transceiver training	14
A.9.2.1 Method of loop timing acquisition	14
A.9.2.2 Tones used in REVERB.....	14
A.9.2.3 Used tones during SEGUE.....	15
A.9.2.4 ECT Signal.....	15
A.9.2.5 R-QUIET3/R-REVERB2 symbol alignment.....	16
A.9.3 Channel analysis.....	16
A.9.3.1 MSG1 messages	16

A.9.3.2	RATES1 messages	17
A.9.3.3	Tones used in MEDLEY	19
A.9.4	Exchange	19
A.9.4.1	MSG-RA messages	20
A.9.4.2	RATES-RA messages	20
A.9.4.3	MSG2 messages	20
A.9.4.4	RATES2 messages	21
A.9.4.5	B&G tables.....	22
A.10	Showtime.....	23
A.10.1	Steady state PSD	23
A.10.2	Framing	23
A.10.3	Embedded Operations Channel (EOC)	24
A.10.4	ADSL Overhead Channel (AOC).....	25
A.11	OAM.....	26
A.11.1	Indicator bits, ADSL line related	26
A.11.2	Indicator bits, ATM data path related	27
A.11.3	Failure counters	27
A.11.4	ADSL line related failures.....	28
A.11.5	ATM data path related failures.....	28
A.11.6	Performance monitoring.....	29
A.11.7	Test parameter Support	30

1. Revision History

Date (M/D/Y)	Version	Major Changes.
3/13/1999	1	Creation of First draft - Bill Tim/Jim Carlo.
3/18/1999	1	Made changes to format and references
5/26/1999	2	Editorial changes.
9/1/99, 9/9/99	3	Editorial changes and editing notes. Note: section references and message names for G.992.2, G.994.1, G.997.1 for tables have not been updated, but needs to be done; 9/9/99: further editing (version numbers...).
10/15/99	4	Changes made to update Section references to the ITU-T March 1999 versions of the G.992.2 and G.994.1 documents. In addition, minor editorial changes were made.
2/9/00	5	Changes made according to contribution 036, Annex B and C were deleted. Editing errors were corrected. Correction of changes made according to contribution 036, editing corrections.
3/13/00	6	Minor editing (cover page, version number, use of proforma, spacing, italics, page breaks, grammar). Deletion of editing notes for references (addressed during 11/99 and 2/00 meetings).

2. Introduction

The DSL Forum testing and interoperability working group is working on the development of an ADSL ICS (ADSL Implementation Conformance Statement).

The ADSL ICS can be used for several purposes:

1. As a starting document used by two equipment vendors to qualify their respective implementations and to determine their degree of interoperability.
2. As a guide for selection of the appropriate test cases to build a test suite.
3. For self-verification or certification of compliance with a specific standard, when comparing to an ADSL ICS filled out with the requirements of this standard.

When this proforma list is filled out by both parties and a match is obtained, then interoperability should be possible. Having a match for Interoperability does not imply that the systems are [ITU-T G.992.2 (G.lite)] compliant.

3. Scope

This Working Text presents an ADSL ICS list targeting an [ITU-T G.992.2 (G.lite)] compliant system. This ADSL ICS contains an ICS for an ATM based implementation.

The format of the ADSL ICS is according to the guidelines specified in [ETR212]. [ETR212] also references [IEC9646].

ANNEX A contains the Physical Layer ADSL ICS.
ANNEX A can be used as a Proforma.

4. A guide to the use of the ADSL ICS Proforma

4.1 Abbreviations and conventions

The information in this document is comprised of information in tabular form in accordance with the guidelines of [ETR212] and [IEC9646]. A detailed description of how to create or fill out the ICS can be found in these documents.

Item column

The item column contains a number, which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (*e.g.*, parameters, timers). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in [IEC 9646], are used for the status column:

m	mandatory - the capability is required to be supported.
o	optional - the capability may be supported or not.
n/a	not applicable - in the given context, it is impossible to use the capability.
x	prohibited (excluded) - there is a requirement not to use this capability in the given context.
o.i	qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies an unique group of related optional items and the logic of their selection which is defined immediately following the table.

NOTE: In the case where items of the group do not always belong to the same table, all o.i shall be defined in the last sub clause of the ICS Proforma.

ci	conditional - the requirement on the capability ("m", "o", "x" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table.
----	---

Reference column

The reference column makes references to [ITU-T G.992.2 (G.lite)], except where explicitly stated otherwise.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in [IEC 9646], are used for the support column:

Y or y	supported by the implementation
N or n	not supported by the implementation
N/A, n/a or -	no answer required (allowed only if the status is n/a, directly or after evaluation of a conditional status).

Values allowed column

The values allowed column contains the type, the list, the range, or the length of values allowed. The following notations are used:

- range of values: <min value> .. <max value>
example: 5 .. 20

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.