

# MOST

Media Oriented Systems Transport

Multimedia and Control  
Networking Technology

**MOST Specification Framework  
Rev 1.1**

Version 1.1-07



© Copyright 1999 MOST Cooperation

## Intellectual Property

© Copyright 1999 MOST Cooperation. Duplication of this document without permission is prohibited. All rights reserved. The information within this document is confidential and MOST Cooperation intellectual property.

### Trademarks

All trademarks used in this document are proprietary of their respective owners. MOST and OptoLyzer are internationally registered trademarks of Oasis SiliconSystems AG.

### Patents

There are a number of patents and patents pending on the MOST technology. The rights to these patents are not granted without any specific agreement between the users and the MOST Cooperation.

## Support and further Information

For more information on the MOST Technology, please contact:

**MOST Cooperation**

Administration  
P. O. Box 4327  
D-76028 Karlsruhe  
Germany

Tel: (+49) (0) 721 966 50 00

Fax:(+49) (0) 721 966 50 01

E-mail: [contact@mostcooperation.com](mailto:contact@mostcooperation.com)

Web: [www.mostcooperation.com](http://www.mostcooperation.com)

## Table Of Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>INTRODUCTION</b>                         | <b>7</b>  |
| 1.1      | Motivation                                  | 7         |
| 1.2      | Objective of the Specification              | 7         |
| 1.3      | Scope of this Specification Framework       | 7         |
| 1.4      | MOST Cooperation                            | 7         |
| 1.5      | How to read this document                   | 8         |
| <b>2</b> | <b>BACKGROUND</b>                           | <b>9</b>  |
| 2.1      | Evolution of the MOST Technology            | 9         |
| 2.2      | Main Goals of the MOST Technology           | 9         |
| 2.3      | Speed Requirements                          | 10        |
| 2.4      | Features                                    | 10        |
| 2.5      | Compatibility                               | 12        |
| <b>3</b> | <b>ARCHITECTURAL OVERVIEW</b>               | <b>13</b> |
| 3.1      | MOST System Description                     | 13        |
| 3.2      | MOST Devices                                | 14        |
| 3.2.1    | In General                                  | 14        |
| 3.2.2    | Logical Approach                            | 15        |
| 3.2.3    | Hardware                                    | 16        |
| 3.3      | Data Types                                  | 17        |
| 3.4      | BUS Protocol                                | 17        |
| 3.5      | Physical Interface                          | 18        |
| 3.6      | Power Management                            | 18        |
| 3.7      | MOST Transceiver                            | 19        |
| 3.8      | Hardware Requirements                       | 20        |
| 3.9      | Software Requirements                       | 20        |
| 3.10     | System Integrity/Robust Operation           | 21        |
| 3.10.1   | Error Detection and Handling                | 21        |
| 3.10.2   | Fail Safe Mechanisms                        | 21        |
| 3.11     | System Configuration                        | 22        |
| 3.11.1   | Attachment of MOST devices                  | 22        |
| 3.11.2   | Detachment of MOST devices                  | 22        |
| 3.12     | MOST Topology                               | 22        |
| <b>4</b> | <b>MOST SYSTEM SERVICES</b>                 | <b>23</b> |
| 4.1      | Application Socket                          | 24        |
| 4.1.1    | MOST Command Interpreter                    | 24        |
| 4.1.2    | NetBlock                                    | 24        |
| 4.1.3    | Network Master Shadow                       | 24        |
| 4.1.4    | Address Handler, De-Central Device Registry | 24        |
| 4.1.5    | MOST Supervisor Layer II                    | 25        |
| 4.1.6    | Notification Service                        | 25        |
| 4.2      | Basic Layer System Services                 | 26        |
| 4.2.1    | MOST Supervisor                             | 26        |
| 4.2.2    | Low Level Driver                            | 26        |
| 4.2.3    | Control Message Service                     | 27        |
| 4.2.3.1  | Application Message Service                 | 27        |
| 4.2.3.2  | Remote Control Service                      | 27        |
| 4.2.4    | Synchronous Channel Allocation Service      | 27        |
| 4.2.5    | Transparent Channel Allocation Service      | 27        |
| 4.2.6    | Asynchronous Data Transmission Service      | 27        |
| 4.2.7    | Transceiver Control Service                 | 27        |
| 4.3      | Low Level System Services                   | 28        |
| 4.3.1    | Physical Interface                          | 28        |
| 4.3.2    | Physical Layer                              | 28        |

|           |   |           |
|-----------|---|-----------|
| 4.3.3     | Low Level Bus Management .....                              | 28        |
| 4.3.3.1   | Addressing .....  | 28        |
| 4.3.3.2   | Allocation Table .....                                      | 29        |
| 4.3.3.3   | Allocate Logical Channel Request .....                      | 29        |
| 4.3.3.4   | De-allocate Logical Channel Request .....                   | 29        |
| 4.3.3.5   | Initialize Allocation Service .....                         | 29        |
| 4.3.3.6   | Allocation Table Distribution Service .....                 | 29        |
| 4.3.4     | Packet Logic .....  | 29        |
| 4.3.5     | Communication Management .....                              | 29        |
| 4.3.6     | Transaction Level .....                                     | 29        |
| 4.3.7     | Real Time Transceiver .....                                 | 30        |
| 4.3.8     | Format Converter .....                                      | 30        |
| 4.4       | Stream Services .....                                       | 30        |
| <b>5</b>  | <b>MOST HIGH PROTOCOL .....</b>                             | <b>31</b> |
| <b>6</b>  | <b>MOST FRAME STRUCTURE .....</b>                           | <b>32</b> |
| 6.1       | Frame Generation .....                                      | 32        |
| 6.2       | Synchronization .....                                       | 32        |
| 6.3       | Communication Model .....                                   | 32        |
| 6.4       | MOST Bit stream .....                                       | 32        |
| 6.5       | Block .....   | 33        |
| 6.6       | Frame Functionality .....                                   | 33        |
| 6.7       | Frame Definition .....                                      | 34        |
| 6.8       | MOST Data Channels .....                                    | 34        |
| 6.8.1     | Synchronous Channel .....                                   | 34        |
| 6.8.2     | Transparent Channel .....                                   | 34        |
| 6.8.3     | Asynchronous Packet Transfer Data Channel .....             | 35        |
| 6.8.4     | Control Data Channel .....                                  | 35        |
| <b>7</b>  | <b>LOW LEVEL SYSTEM SERVICES .....</b>                      | <b>36</b> |
| 7.1       | Automatic System Configuration and Start up .....           | 36        |
| 7.2       | Hot Plug-in .....   | 37        |
| 7.3       | Synchronous Channel Allocation .....                        | 37        |
| 7.4       | Asynchronous Bandwidth Allocation .....                     | 37        |
| 7.5       | Physical Position Sensing .....                             | 37        |
| 7.6       | Network Delay Detection .....                               | 38        |
| 7.7       | Node Alive Supervision and Fail Safe Monitoring .....       | 38        |
| 7.8       | Remote Access .....   | 38        |
| <b>8</b>  | <b>MEDIA AND TOPOLOGY .....</b>                             | <b>39</b> |
| 8.1       | Physical Wiring Topology .....                              | 39        |
| 8.1.1     | Point to Point Link: Unidirectional or Bi-directional ..... | 39        |
| 8.1.2     | Ring Topology .....   | 39        |
| 8.1.3     | Rings Incorporating Splitters .....                         | 40        |
| 8.1.4     | Star Topology .....   | 40        |
| 8.2       | Sockets .....   | 41        |
| 8.3       | Media .....   | 41        |
| 8.4       | POF Cables and Connectors .....                             | 41        |
| <b>9</b>  | <b>MOST APPLICATION AREAS .....</b>                         | <b>42</b> |
| 9.1       | Consumer Electronics .....                                  | 43        |
| 9.2       | Multimedia Computers .....                                  | 43        |
| 9.3       | Home Multimedia Networking .....                            | 43        |
| 9.4       | Automotive Multimedia Networking .....                      | 44        |
| <b>10</b> | <b>COST CONSIDERATIONS .....</b>                            | <b>45</b> |
| 10.1      | IC Cost .....   | 45        |
| 10.2      | Cable Cost .....  | 45        |
| 10.3      | Terminal Cost .....   | 45        |

|           |  |           |
|-----------|--|-----------|
| 10.4      | System Cost and Flexibility.....   | 46        |
| <b>11</b> | <b>INTERFACE TO OTHER SYSTEMS.....</b>   | <b>46</b> |
| 11.1      | Direct Serial, Real-time, PCI, ISA or Serial Control Bus Implementations ..... | 46        |
| 11.2      | MOST Core and other System Solutions .....                                     | 46        |
| <b>12</b> | <b>INTERFACE TO OTHER NETWORK STANDARDS.....</b>                               | <b>47</b> |
| 12.1      | Interface to AES/ EBU - S/PDIF .....   | 47        |
| 12.2      | Interface to other Control Networks.....                                       | 48        |
| <b>13</b> | <b>SYSTEM SIMULATION.....</b>  | <b>49</b> |
| <b>14</b> | <b>TERMINOLOGY .....</b>   | <b>51</b> |

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.